



Author Index

Animal Feed Science and Technology, volumes 83–89

Abdullah, N., see Jetana, T., 84 (2000) 167
Abdullahi, U.S., see Kallah, Mh.S., 84 (2000) 137
Abdulrazak, S.A., Fujihara, T., Ondiek, J.K. and Ørskov, E.R., Nutritive evaluation of some Acacia tree leaves from Kenya, 85 (2000) 89
Abel, H., Reply to "Letter to the Editor", 88 (2000) 133
Abel, H.j., see Römer, A., 83 (2000) 325
Abreu, J.M.F., see Bruno-Soares, A.M., 83 (2000) 75
Acamovic, T., see Mupangwa, J.F., 83 (2000) 139
Adesogan, A., see Wilman, D., 84 (2000) 33
Agrawal, D.K., see Ravi, U., 88 (2000) 121
Ahmad, T., Rasool, S., Sarwar, M., Haq, A.-u. and Hasan, Z.-u., Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103
Alaviuhkola, T., see Laurinen, P., 83 (2000) 1
Albin, D.M., Wubben, J.E. and Gabert, V.M., The influence of hydrochloric acid concentration and measurement method on the determination of amino acid levels in soya bean products, 87 (2000) 173
Alexandre, G., see Archimède, H., 87 (2000) 153
Alvir, M.R., see Cajarville, C., 87 (2000) 203
Alzueta, C., see Treviño, J., 84 (2000) 155
Amado, M.A. Garcia, see Jones, R.J., 87 (2000) 287
Anil, L., Park, J. and Phipps, R.H., The potential of forage-maize intercrops in ruminant nutrition, 86 (2000) 157
Arakaki, L.C., Stahringer, R.C., Garrett, J.E. and Dehority, B.A., The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121
Aranda, I.E., see Cabrera, E.J.I., 83 (2000) 49
Archimède, H., Boval, M., Alexandre, G., Xandé, A., Aumont, G. and Poncelet, C., Effect of regrowth age on intake and digestion of *Digitaria decumbens* consumed by Black-belly sheep, 87 (2000) 153
Aregheore, E.M., Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — *in vivo* and *in vitro* digestibility, 85 (2000) 99
Arosemena, A., see Fadel, J.G., 85 (2000) 121
Ashbell, G., see Filya, I., 88 (2000) 39
Ashes, J.R., see Gulati, S.K., 86 (2000) 139
Ashes, J.R., see Kitessa, S.M., 89 (2001) 189, 201
Atuahene, C.C., Donkoh, A. and Ntim, I., Blend of oil palm slurry and rice bran as feed ingredient for broiler chickens, 83 (2000) 185
Aumaitre, A., see Freire, J.P.B., 87 (2000) 71
Aumaitre, A., see Seabra, M., 89 (2001) 1
Aumont, G., see Archimède, H., 87 (2000) 153
Bach, A. and Stern, M.D., Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23
Bal, M.A., Shaver, R.D., Shinners, K.J., Coors, J.G., Lauer, J.G., Straub, R.J. and Koegel, R.G., Stage of maturity, processing, and hybrid effects on ruminal *in situ* disappearance of whole-plant corn silage, 86 (2000) 83
Balcells, J., see Martín-Oruña, S.M., 88 (2000) 59
Balcells, J., see Martín-Oruña, S.M., 88 (2000) 171
Bale, J.O., see Kallah, M.h.S., 84 (2000) 137
Ball, A.S., see Hill, J., 89 (2001) 83
Bárcena, G.R., see Cabrera, E.J.I., 83 (2000) 49
Barrios Urdaneta, A., see Nogueira Filho, J.C.M., 83 (2000) 145
Beauchemin, K.A., see Nsereko, V.L., 88 (2000) 153
Bechaz, M., see Jones, R.J., 85 (2000) 269
Beckers, Y., see Moujahed, N., 88 (2000) 219

Bedford, M.R., Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

Bedford, M.R., see Svhuis, B., 88 (2000) 1

Ben-Ghedalia, D., see Yosef, E., 83 (2000) 115

Beynen, A.C., see Vissia, G.H.P., 85 (2000) 139

Bhatta, R., Krishnamoorthy, U. and Mohammed, F., Effect of feeding tamarind (*Tamarindus indica*) seed husk as a source of tannin on dry matter intake, digestibility of nutrients and production performance of crossbred dairy cows in mid-lactation, 83 (2000) 67

Bister, J.-L., see Mabon, N., 85 (2000) 111

Blas, E., Fernández-Carmona, J., Cervera, C. and Pascual, J.J., Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239

Blasi, D.A., see Reed, C., 88 (2000) 47

Böhme, H., Nutrition of Sows and Boars. W.H. Close and D.J.A. Cole; Nottingham University Press, UK, 377 pp., £ 50, hardcover, ISBN 1-897676-530, 89 (2001) 211

Bohnert, D.W., see Swanson, K.C., 86 (2000) 95

Boitumelo, W.S., see Madibela, O.R., 84 (2000) 97

Böttcher, W., see Dänische, S., 84 (2000) 279

Boval, M., see Archimède, H., 87 (2000) 153

Bracht, J.P., see Kung, L., 84 (2000) 69

Brooks, A.E., see Davies, Z.S., 83 (2000) 205

Broudiscou, A.F., see Broudiscou, L.-P., 87 (2000) 263

Broudiscou, L.-P., Papon, Y. and Broudiscou, A.F., Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263

Bruno-Soares, A.M., Abreu, J.M.F., Guedes, C.V.M. and Dias-da-Silva, A.A., Chemical composition, DM and NDF degradation kinetics in rumen of seven legume straws, 83 (2000) 75

Buraczewska, L., see Pastuszewska, B., 86 (2000) 117

Byers, E.B., see Gulati, S.K., 86 (2000) 139

Byers, Y.G., see Gulati, S.K., 86 (2000) 139

Cabral, F., see Seabra, M., 89 (2001) 1

Cabrera, E.J.I., Mendoza, M.G.D., Aranda, I.E., García-Bojalil, C., Bárcena, G.R. and Ramos, J.J.A., *Saccharomyces cerevisiae* and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49

Cabrita, A.R.J., see Fonseca, A.J.M., 83 (2000) 173

Caffrey, P.J., see Kavanagh, S., 89 (2001) 49

Cajarville, C., González, J., Repetto, J.L., Alvir, M.R. and Rodriguez, C.A., Nutritional evaluation of cardoon (*Cynara cardunculus*) seed for ruminants, 87 (2000) 203

Campbell, D.R., see White, C.E., 87 (2000) 105

Campbell, R.G., see King, R.H., 83 (2000) 17

Carriquiry, M., see Marichal, M. de J., 88 (2000) 91

Carvalho, S., see Seabra, M., 89 (2001) 1

Casler, M.D., Culvenor, R.A. and Combs, D.K., Divergent selection for two laboratory predictors of voluntary intake: relationships among the predictors and leaf morphology variables, 84 (2000) 107

Castanon, J.I.R., see Ventura, M.R., 85 (2000) 279

Castrillo, C., see Martín-Orueta, S.M., 88 (2000) 59

Cervera, C., see Blas, E., 88 (2000) 239

Cervera, C., see Pascual, J.J., 86 (2000) 191

Chanchai, S., see Dixon, R.M., 83 (2000) 261

Chandramoni, A.S., see Tiwari, C.M., 89 (2001) 119

Chandramoni, Jadhao, S.B., Tiwari, C.M. and Khan, M.Y., Energy metabolism with particular reference to methane production in Muzaffarnagar sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287

Chappelka, A.H., see Muntifering, R.B., 84 (2000) 243

Chaturvedi, O.H., see Mishra, A.S., 84 (2000) 257

Chaudhry, A.S., Rumen degradation in saccus in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313

Chen, T.C., see Lu, G.W., 83 (2000) 159

Cheng, K.-J., see Lee, S.S., 88 (2000) 201

Chiou, P.W.-S., see Yu, B., 86 (2000) 39

Christensen, D.A., see Jones, R.A., 89 (2001) 97

Christensen, D.A., see Mustafa, A.F., 83 (2000) 301

Coblentz, W.K., Coffey, K.P., Turner, J.E., Scarbrough, D.A., Weyers, J.S., Harrison, K.F., Johnson, Z.B., Daniels, L.B., Rosenkrans Jr., C.F., Kellogg, D., Wayne and Hubbell III, D.S., Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, Cobos, P.M., see García, C.C.G., () 0008300165 Cobos, P.M., see García, C.C.G., 83 (2000) 165

Coffey, K.P., see Coblentz, W.K., 89 (2001) 17

Combs, D.K., see Casler, M.D., 84 (2000) 107

Conlan, L.L., see Kennedy, P.M., 86 (2000) 177

Coors, J.G., see Bal, M.A., 86 (2000) 83

Cotte, J.P., see Morisse, J.P., 84 (2000) 129

Crosby, D.D., see Muntifering, R.B., 84 (2000) 243

Cuddeford, D., see McLean, B.M.L., 85 (2000) 79

Cuddeford, D., see Moore-Colyer, M.J.S., 84 (2000) 183

Cullis, B.R., see Nandra, K.S., 83 (2000) 273

Culvenor, R.A., see Casler, M.D., 84 (2000) 107

Cunha, L., see Seabra, M., 89 (2001) 1

Cunha, L.F., see Freire, J.P.B., 87 (2000) 71

Dana, N., Tegegne, A. and Shenkoru, T., Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239

Dänicke, S., Secondary plant products. *Antinutritional and Beneficial Actions in Animal Feeding*, John C. Caygill and Irene Mueller-Harvey (Eds.), Nottingham University Press, Nottingham, 1999, 129 pp. ISBN 1-897676-28-X, 85 (2000) 283

Dänicke, S., Jeroch, H., Böttcher, W. and Simon, O., Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279

Daniels, L.B., see Coblenz, W.K., 89 (2001) 17

Dass, R.S., see Verma, A.K., 87 (2000) 253

Davies, D.R., see Dewhurst, R.J., 85 (2000) 1

Davies, D.R., see Mauricio, R.M., 89 (2001) 23

Davies, Z.S., Mason, D., Brooks, A.E., Griffith, G.W., Merry, R.J. and Theodorou, M.K., An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205

Dawson, K.A., see Strickling, J.A., 86 (2000) 205

de Blas, C., see Medel, P., 84 (2000) 13

de la Fuente, J.M., see Fernández, C., 86 (2000) 71

de Monredon, F., see Maaroufi, C., 85 (2000) 61

De Smet, S., see Van Nevel, C., 83 (2000) 89

De Wilde, R., see Van Nevel, C., 83 (2000) 89

Deaville, E.R., see Givens, D.I., 89 (2001) 69

Dehority, B.A., see Arakaki, L.C., 84 (2000) 121

Delaby, L., see Delagarde, R., 84 (2000) 49

Delagarde, R., Peyraud, J.L., Delaby, L. and Faverdin, P., Vertical distribution of biomass, chemical composition and pepsin-cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

Delgado-Pertíñez, M., Gómez-Cabrera, A. and Garrido, A., Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187

DePeters, E.J., see Fadel, J.G., 85 (2000) 121

Derycke, G., see Mabon, N., 85 (2000) 111

Dewhurst, R.J., Davies, D.R. and Merry, R.J., Microbial protein supply from the rumen, 85 (2000) 1

Dhanoa, M.S., see Lister, S.J., 86 (2000) 221

Dhanoa, M.S., see Mauricio, R.M., 89 (2001) 33

Dias-da-Silva, A.A., see Bruno-Soares, A.M., 83 (2000) 75

Dixon, R.M. and Chanchai, S., Colonization and source of N substrates used by microorganisms digesting forages incubated in synthetic fibre bags in the rumen, 83 (2000) 261

Dobos, R.C., see Nandra, K.S., 83 (2000) 273

Dominguez-Bello, M.G., see Jones, R.J., 87 (2000) 287

Donkoh, A., see Atuahene, C.C., 83 (2000) 185

Dritz, S.S., see Grinstead, G.S., 83 (2000) 237

Drogoul, C., Poncet, C. and Tisserand, J.L., Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in vivo digestibility and rate of passage of digesta, 87 (2000) 117

Drogoul, C., Tisserand, J.L. and Poncet, C., Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

Dunshea, F.R., see King, R.H., 83 (2000) 17

Eason, P.J., see King, R.H., 83 (2000) 17

Eastridge, M.L. and Firkins, J.L., Feeding tallow triglycerides of different saturation and particle size to lactating dairy cows, 83 (2000) 249

Edvardsen, D.H., see Svhuis, B., 88 (2000) 1

Edwards Jr., H.M., see Kasim, A.B., 86 (2000) 15

El hassan, S.M., Lahlou Kassi, A., Newbold, C.J. and Wallace, R.J., Chemical composition and degradation characteristics of foliage of some African multipurpose trees, 86 (2000) 27

Elangovan, A.V., Verma, S.V.S., Sastry, V.R.B. and Singh, S.D., Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets, 88 (2000) 113

Esteve-Garcia, E. and Mack, S., The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85

Fadel, J.G., DePeters, E.J. and Arosemena, A., Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121

Fairchild, F.J., see Reed, C., 88 (2000) 47

Farrell, D.J., Jibril, H., Perez-Maldonado, R.A. and Mannion, P.F., A note on a comparison of the feeding value of sweet potato vines and lucerne meal for broiler chickens, 85 (2000) 145

Faverdin, P., see Delagarde, R., 84 (2000) 49

Fernández, C., López-Saez, A., Gallego, L. and de la Fuente, J.M., Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71

Fernández-Carmona, J., see Blas, E., 88 (2000) 239

Fernández-Carmona, J., see Pascual, J.J., 86 (2000) 191

Ferreira, R., see Seabra, M., 89 (2001) 1

Field, M., see Wilman, D., 88 (2000) 139

Filya, I., Ashbell, G., Hen, Y. and Weinberg, Z.G., The effect of bacterial inoculants on the fermentation and aerobic stability of whole crop wheat silage, 88 (2000) 39

Fiorentini, L., see Piva, G., 89 (2001) 59

Firkins, J.L., see Eastridge, M.L., 83 (2000) 249

Flachowsky, G., The Mineral Nutrition of Livestock. Third edition; E.J. Underwood, N. Suttle; CAB Publishing, Wallingford Oxon, UK, 1999, 624 pages, hardcover, ISBN 0-85199-128-9, £75.00 (US\$ 140.00), 87 (2000) 147

Fleck, E., see Gulati, S.K., 86 (2000) 139

Fleck, E., see Kitessa, S.M., 89 (2001) 189, 201

Flores, M.P., see Ventura, M.R., 85 (2000) 279

Fondevila, M., see Martín-Orúe, S.M., 88 (2000) 171

Fondevila, M., see Nogueira Filho, J.C.M., 83 (2000) 145

Fonseca, A.J.M., Cabrita, A.R.J., Lage, A.M. and Gomes, E., Evaluation of the chemical composition and the particle size of maize silages produced in north-west of Portugal, 83 (2000) 173

Fox, D.G., see Ruiz, R., 89 (2001) 155

France, J., see Mauricio, R.M., 89 (2001) 33

Freire, J., see Seabra, M., 89 (2001) 1

Freire, J.P.B., Guerreiro, A.J.G., Cunha, L.F. and Aumatire, A., Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71

Fujihara, T., see Abdulrazak, S.A., 85 (2000) 89

Gabert, V.M., see Albin, D.M., 87 (2000) 173

Gallego, L., see Fernández, C., 86 (2000) 71

García, C.C.G., Mendoza, M.G.D., González, M.S., Cobos, P.M., Ortega, C.M.E. and Ramírez, L.R., Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165

Garcia, M., see Medel, P., 84 (2000) 13

Garcia-Bojalil, C., see Cabrera, E.J.I., 83 (2000) 49

Garg, A.K., see Ravi, U., 88 (2000) 121

Garnsworthy, P.C. and Wiseman, J., Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Garrett, J.E., see Arakaki, L.C., 84 (2000) 121

Garrido, A., see Delgado-Pertiñez, M., 87 (2000) 187

Gasa, J., see Ouhida, I., 85 (2000) 183

Giboulot, B., see Maaroufi, C., 85 (2000) 61

Giger-Reverdin, S., Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Gill, M., see Lister, S.J., 86 (2000) 221

Giri, S.S., Sahoo, A. and Pathak, N.N., Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195

Givens, D.I. and Deaville, E.R., Comparison of major carbohydrate fractions and cell wall digestibility in silages made from older and newer maize genotypes grown in the UK, 89 (2001) 69

Givens, D.I., see Wilman, D., 88 (2000) 139

Givens, I., see Mauricio, R.M., 89 (2001) 33

Glen, E.F., see Kitchenside, M.A., 86 (2000) 125

Goelema, J.O., see Yu, P., 86 (2000) 165

Gollnisch, K., *Escherichia coli* O157 in Farm Animals. C.S. Stewart, H.J. Flint (Eds.); CAB International Publishing, Wallingford, UK, 1999, 244 pages, 22 figures, 22 tables, hardcover, ISBN 0-85199-332-X (£45), 87 (2000) 148

Gomes, E., see Fonseca, A.J.M., 83 (2000) 173

Gómez-Cabrera, A., see Delgado-Pertiñez, M., 87 (2000) 187

González Ronquillo, M., see Nogueira Filho, J.C.M., 83 (2000) 145

González, J., see Cajarville, C., 87 (2000) 203

González, M.S., see García, C.C.G., 83 (2000) 165

Goodband, R.D., see Grinstead, G.S., 83 (2000) 237

Gowda, S.K., see Tiwari, C.M., 89 (2001) 119

Grant, R.J., see Haddad, S.G., 86 (2000) 107

Griffith, G.W., see Davies, Z.S., 83 (2000) 205

Grinstead, G.S., Tokach, M.D., Dritz, S.S., Goodband, R.D. and Nelissen, J.L., Effects of *Spirulina platensis* on growth performance of weanling pigs, 83 (2000) 237

Gross, K.L., see Strickling, J.A., 86 (2000) 205

Guada, J.A., see Martín-Orúe, S.M., 88 (2000) 171

Gualti, S.K., see Kitessa, S.M., 89 (2001) 201

Guangyong, Z., Ruminant physiology: digestion, metabolism, growth and reproduction. P.B. Cronje (Ed.); CABI Publishing, Wallingford, UK, 2000, 474 pages, hardcover, ISBN 0-85199-463-6, £65.00 (US\$120.00), 88 (2000) 269

Guedes, C.V.M., see Bruno-Soares, A.M., 83 (2000) 75

Guerreiro, A.J.G., see Freire, J.P.B., 87 (2000) 71

Guibert, D., see Maaroufi, C., 85 (2000) 61

Gulati, S.K., Kitessa, S.M., Ashes, J.R., Fleck, E., Byers, E.B., Byers, Y.G. and Scott, T.W., Protection of conjugated linoleic acids from ruminal hydrogenation and their incorporation into milk fat, 86 (2000) 139

Gulati, S.K., see Kitessa, S.M., 89 (2001) 189

Gullord, M., see Sivhus, B., 88 (2000) 1

Guo, Y., Tang, Q., Yuan, J. and Jiang, Z., Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Ha, J.K., see Lee, S.S., 88 (2000) 201

Haddad, S.G. and Grant, R.J., Influence of nonfiber carbohydrate concentration on forage fiber digestion in vitro, 86 (2000) 107

Haddad, S.G., Associative effects of supplementing barley straw diets with alfalfa hay on rumen environment and nutrient intake and digestibility for ewes, 87 (2000) 163

Halim, R.A., see Jetana, T., 84 (2000) 167

Hamudikuwanda, H., see Mupangwa, J.F., 83 (2000) 139

Hanbury, C.D., White, C.L., Mullan, B.P. and Siddique, K.H.M., A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1

Haq, A.-u., see Ahmad, T., 83 (2000) 103

Harmon, D.L., see Strickling, J.A., 86 (2000) 205

Harmon, D.L., see Swanson, K.C., 86 (2000) 95

Harrison, K.F., see Coblenz, W.K., 89 (2001) 17

Harstad, O.M. and Prestløkken, E., Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass[®]) determined in situ, 83 (2000) 31

Harstad, O.M., see Ljøkjel, K., 84 (2000) 83

Hasan, Z.-u., see Ahmad, T., 83 (2000) 103

Hedqvist, H., Mueller-Harvey, I., Reed, J.D., Krueger, C.G. and Murphy, M., Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

Hen, Y., see Filya, I., 88 (2000) 39

Herrero, M., see Nagadi, S., 87 (2000) 231, 241

Hill, J., Xiao, G.Q. and Ball, A.S., Effect of inoculation of herbage prior to ensiling with *Streptomyces achromogenes* ISP 5028 on chemical composition of silage, 89 (2001) 83

Ho, Y.W., see Jetana, T., 84 (2000) 167

Höhler, D., see Pack, M., 88 (2000) 129

Hollands, T., see McLean, B.M.L., 85 (2000) 79

Huang, R.-L., Tan, Z.-L., Xing, T.-X., Pan, Y.-F. and Li, T.-J., An in vitro method for the estimation of ileal crude protein and amino acids digestibility using the dialysis tubing for pig feedstuffs, 88 (2000) 79

Huang, W.-J., see Yu, B., 86 (2000) 39

Hubbell III, D.S., see Coblenz, W.K., 89 (2001) 17

Huonnic, D., see Morisse, J.P., 84 (2000) 129

Hussein, A.S., The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171

Hyslop, J.J., see McLean, B.M.L., 85 (2000) 79

Hyslop, J.J., see Moore-Colyer, M.J.S., 84 (2000) 183

Iji, P.A., Saki, A.A. and Tivey, D.R., Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175

Jablecki, G., see Pastuszewska, B., 86 (2000) 117

Jacques, K.A., see Swanson, K.C., 86 (2000) 95

Jadho, S.B., see Chandramoni, 83 (2000) 287

Jadho, S.B., see Tiwari, C.M., 89 (2001) 119

Jakhmola, R.C., see Mishra, A.S., 84 (2000) 257

Jalaludin, S., see Jetana, T., 84 (2000) 167

Jeroch, H., see Dänicke, S., 84 (2000) 279

Jessop, N.S., see Nagadi, S., 87 (2000) 231, 241

Jetana, T., Abdullah, N., Halim, R.A., Jalaludin, S. and Ho, Y.W., Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Jiang, Z., see Guo, Y., 89 (2001) 165

Jibril, H., see Farrell, D.J., 85 (2000) 145

Johnson, Z.B., see Coblenz, W.K., 89 (2001) 17

Jones, A.W., see Nandra, K.S., 83 (2000) 273

Jones, R., see Wilkins, R.J., 85 (2000) 23

Jones, R.A., Mustafa, A.F., Christensen, D.A. and McKinnon, J.J., Effects of untreated and heat-treated canola presscake on milk yield and composition of dairy cows, 89 (2001) 97

Jones, R.J. and Palmer, B., In vitro digestion studies using ¹⁴C-labelled polyethylene glycol (PEG)

4000: comparison of six tanniniferous shrub legumes and the grass *Panicum maximum*, 85 (2000) 215

Jones, R.J., Amado, M.A., Garcia and Dominguez-Bello, M.G., Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Oipisthomus hoazin*) and cow rumen fluid with seven tropical forages, 87 (2000) 287

Jones, R.J., Meyer, J.H.F., Bechaz, M. and Stoltz, M.A., An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269

Jones, R.J., see Palmer, B., 85 (2000) 259

Jones, R.J., see Palmer, B., 86 (2000) 149

Jones, R.J., see Palmer, B., 87 (2000) 29

Kailas, M.M., see Manjunatha, J.V., 87 (2000) 95

Kailas, M.M., see Sreerangaraju, G., 85 (2000) 131

Kallah, Mh.S., Bale, J.O., Abdullahi, U.S., Muhammad, I.R. and Lawal, R., Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Karhunen, J., see Laurinen, P., 83 (2000) 1

Karim, S.A., see Santra, A., 86 (2000) 251

Karn, J.F., Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133

Kasim, A.B. and Edwards Jr., H.M., Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15

Kavanagh, S., Lynch, P.B., O'Mara, F. and Caffrey, P.J., A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49

Kayouli, C., see Moujahed, N., 88 (2000) 219

Kellogg, D., Wayne, see Coblenz, W.K., 89 (2001) 17

Kennedy, P.M., Lowry, J.B. and Conlan, L.L., Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177

Khali, A., see Mishra, A.S., 84 (2000) 257

Khalili, H. and Sairanen, A., Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199

Khan, M.Y., see Chandramoni, 83 (2000) 287

Khan, M.Y., see Tiwari, C.M., 89 (2001) 119

King, R.H., Dunshea, F.R., Morrish, L., Eason, P.J., van Barneveld, R.J., Mullan, B.P. and Campbell, R.G., The energy value of *Lupinus angustifolius* and *Lupinus albus* for growing pigs, 83 (2000) 17

Kitchenside, M.A., Glen, E.F. and Webster, A.J.F., FibreCap: an improved method for the rapid analysis of fibre in feeding stuffs, 86 (2000) 125

Kitessa, S.M., Gulati, S.K., Ashes, J.R., Fleck, E., Scott, T.W. and Nichols, P.D., Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189

Kitessa, S.M., Gualti, S.K., Ashes, J.R., Fleck, E., Scott, T.W. and Nichols, P.D., Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Kitessa, S.M., see Gulati, S.K., 86 (2000) 139

Koegel, R.G., see Bal, M.A., 86 (2000) 83

Kokkonen, T., Tuori, M., Leivonen, V. and Syrjälä-Qvist, L., Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213

Kokkonen, T., Tuori, M. and Syrjälä-Qvist, L., Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 2. Rumen fermentation and digesta passage rate, 84 (2000) 229

Koreleski, J., see Źyla, K., 89 (2001) 113

Kreuzer, M., see Machmüller, A., 85 (2000) 41

Kreuzer, M., see Wettstein, H.-R., 85 (2000) 153

Krishnamoorthy, U., see Bhatta, R., 83 (2000) 67

Krishnamoorthy, U., see Manjunatha, J.V., 87 (2000) 95

Krishnamoorthy, U., see Sreerangaraju, G., 85 (2000) 131

Krueger, C.G., see Hedqvist, H., 87 (2000) 41

Kung, L., Bracht, J.P. and Tavares, J.Y., Effects of various compounds on in vitro ruminal fermentation and production of sulfide, 84 (2000) 69

Lage, A.M., see Fonseca, A.J.M., 83 (2000) 173

Lahluu Kassi, A., see El hassan, S.M., 86 (2000) 27

Larondelle, Y., see Lejeune, A., 84 (2000) 295

Larson, B.T., see Swanson, K.C., 86 (2000) 95

Lauer, J.G., see Bal, M.A., 86 (2000) 83

Laurinen, P., Siljander-Rasi, H., Karhunen, J., Alaviukola, T., Näsi, M. and Tuppi, K., Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

Lawal, R., see Kallah, Mh.S., 84 (2000) 137

Lázaro, R., see Medel, P., 84 (2000) 13

Le Boulengé, E., see Lejeune, A., 84 (2000) 295

Le Guen, M.-P., see Maaroufi, C., 85 (2000) 61

Lebzien, P., Forage evaluation in ruminant nutrition. D.I. Givens, E. Owen, R.F.E. Axford, H.M. Omed

(Eds.); CABI Publishing, Wallingford, UK, 2000, 496 pages, hardcover, ISBN 0-85199-344-3, £75.00 (US\$140.00), 86 (2000) 267

Nutrient Elements in Grassland: Soil-Plant-Animal Relationships. D.C. Whitehead (Ed.); CABI International, Wallingford, UK, 2000, p. 384, hardback, ISBN 0-85199-437-7, £ 60.00 (US\$ 110.00), 89 (2001) 209

Ledoux, D.R., see Žyła, K., 89 (2001) 113

Lee, S.S., Ha, J.K. and Cheng, K.-J., Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201

Leivonen, V., see Kokkonen, T., 84 (2000) 213

Lejeune, A., Peng, J., Le Boulengé, E., Larondelle, Y. and Van Hove, C., Carotene content of *Azolla* and its variations during drying and storage treatments, 84 (2000) 295

Letso, M., see Madibela, O.R., 84 (2000) 97

Li, T.-J., see Huang, R.-L., 88 (2000) 79

Lindberg, J.E., see Nhu Phuc, B.H., 83 (2000) 223

Lister, S.J., Dhanoa, M.S., Stewart, J.L. and Gill, M., Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

Lister, S.J., see Wilman, D., 88 (2000) 139

Liu, J.X. and Ørskov, E.R., Cellulase treatment of untreated and steam pre-treated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189

Ljøkkel, K., Harstad, O.M. and Skrede, A., Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83

Longland, A.C., see McLean, B.M.L., 85 (2000) 79

Longland, A.C., see Moore-Colyer, M.J.S., 84 (2000) 183

López-Saez, A., see Fernández, C., 86 (2000) 71

Lowry, J.B., see Kennedy, P.M., 86 (2000) 177

Lu, G.W. and Chen, T.C., Quality characteristics of broiler blood meal as affected by yeast, glucose oxidase, and antioxidant treatments, 83 (2000) 159

Lynch, P.B., see Kavanagh, S., 89 (2001) 49

Maaroufi, C., Melcion, J.-P., de Monredon, F., Giboulot, B., Guibert, D. and Le Guen, M.-P., Fractionation of pea flour with pilot scale sieving. I. Physical and chemical characteristics of pea seed fractions, 85 (2000) 61

Mabon, N., Mandiki, S.N.M., Derycke, G., Bister, J.-L., Watheler, J.-P., Marlier, M. and Paquay, R., Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 3. Antinutritional factors in plasma and organs, 85 (2000) 111

Machmüller, A., Ossowski, D.A. and Kreuzer, M., Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41

Machmüller, A., see Wettstein, H.-R., 85 (2000) 153

Mack, S., see Esteve-Garcia, E., 87 (2000) 85

Madibela, O.R., Boitumelo, W.S. and Letso, M., Chemical composition and in vitro dry matter digestibility of four parasitic plants (*Tapinanthus ligardii*, *Erianthenum ngamicum*, *Viscum rotundifolium* and *Viscum verrucosum*) in Botswana, 84 (2000) 97

Mafenji, J.M., see Ngwa, A.T., 88 (2000) 253

Mandiki, S.N.M., see Mabon, N., 85 (2000) 111

Manjunatha, J.V., Krishnamoorthy, U., Kailas, M.M. and Singh, C.K., Effect of feeding undegraded intake protein at a level greater than National Research Council recommendation on the lactational performance of crossbred cows, 87 (2000) 95

Mannion, P.F., see Farrell, D.J., 85 (2000) 145

Marichal, M. de J., Carrquiry, M., Pereda, R. and San Martin, R., Protein degradability and intestinal digestibility of blood meals: comparison of two processing methods, 88 (2000) 91

Marlier, M., see Mabon, N., 85 (2000) 111

Martin-Orúe, S.M., Balcells, J., Guada, J.A. and Fondevila, M., Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171

Martin-Orue, S.M., Balcells, J., Vicente, F. and Castrillo, C., Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59

Martrenchar, A., see Morisse, J.P., 84 (2000) 129

Masoero, F., see Piva, G., 89 (2001) 59

Mason, D., see Davies, Z.S., 83 (2000) 205

Mateos, G.G., see Medel, P., 84 (2000) 13

Matsui, T., see Park, W.-Y., 88 (2000) 31

Mauricio, R.M., Owen, E., Mould, F.L., Givens, I., Theodorou, M.K., France, J., Davies, D.R. and Dhanoa, M.S., Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33

McAllister, T.A., see Nsereko, V.L., 88 (2000) 153

McDowell, L.R., see White, C.E., 87 (2000) 105

McKinnon, J.J., see Jones, R.A., 89 (2001) 97

McKinnon, J.J., see Mustafa, A.F., 83 (2000) 301

McLean, B.M.L., Hyslop, J.J., Longland, A.C., Cuddeford, D. and Hollands, T., Physical processing of barley and its effects on intra-caecal fermentation parameters in ponies, 85 (2000) 79

Medel, P., García, M., Lázaro, R., de Blas, C. and Mateos, G.G., Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13

Mehra, U.R., see Verma, A.K., 87 (2000) 253

Melcion, J.-P., see Maaroufi, C., 85 (2000) 61

Mendez, P., see Ventura, M.R., 85 (2000) 279

Mendoza, M.G.D., see Cabrera, E.J.I., 83 (2000) 49

Mendoza, M.G.D., see García, C.C.G., 83 (2000) 165

Merry, R.J., see Davies, Z.S., 83 (2000) 205

Merry, R.J., see Dewhurst, R.J., 85 (2000) 1

Meyer, J.H.F., see Jones, R.J., 85 (2000) 269

Mishra, A.S., Chaturvedi, O.H., Khali, A., Prasad, R., Santra, A., Misra, A.K., Parthasarathy, S. and Jakhmola, R.C., Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Misra, A.K., see Mishra, A.S., 84 (2000) 257

Mohammed, F., see Bhattacharya, R., 83 (2000) 67

Moore-Colyer, M.J.S., Hyslop, J.J., Longland, A.C. and Cuddeford, D., Intra-caecal fermentation parameters in ponies fed botanically diverse fibre-based diets, 84 (2000) 183

Morgavi, D.P., see Nsereko, V.L., 88 (2000) 153

Morisse, J.P., Huonnic, D., Cotte, J.P. and Martrechard, A., The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129

Morrish, L., see King, R.H., 83 (2000) 17

Moschini, M., see Piva, G., 89 (2001) 59

Moujahed, N., Kayouli, C., Thewis, A., Beckers, Y. and Rezgui, S., Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

Mould, F.L., see Mauricio, R.M., 89 (2001) 33

Mourato, M., see Seabra, M., 89 (2001) 1

Mueller-Harvey, I., see Hedqvist, H., 87 (2000) 41

Muhammad, I.R., see Kallah, M.H.S., 84 (2000) 137

Mullan, B.P., see Hanbury, C.D., 87 (2000) 17

Muntzinger, R.B., Crosby, D.D., Powell, M.C. and Chappelka, A.H., Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243

Mupangwa, J.F., Acamovic, T., Topps, J.H., Ngongoni, N.T. and Hamudikuwanda, H., Content of soluble and bound condensed tannins of three tropical herbaceous forage legumes, 83 (2000) 139

Murphy, M., see Hedqvist, H., 87 (2000) 41

Mustafa, A.F., McKinnon, J.J. and Christensen, D.A., Chemical characterization and in situ nutrient degradability of wet distillers' grains derived from barley-based ethanol production, 83 (2000) 301

Mustafa, A.F., see Jones, R.A., 89 (2001) 97

Muzquiz, M., see Ventura, M.R., 85 (2000) 279

Nagadi, S., Herrero, M. and Jessop, N.S., The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and in vitro gas production degradability parameters, 87 (2000) 231

The effect of fermentable nitrogen availability on in vitro gas production and degradability of NDF, 87 (2000) 241

Nandra, K.S., Dobos, R.C., Orchard, B.A., Neutze, S.A., Oddy, V.H., Collis, B.R. and Jones, A.W., The effect of animal species on in sacco degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273

Näsi, M., see Laurinen, P., 83 (2000) 1

Negi, A.S., see Ramana, D.B.V., 88 (2000) 103

Nelssen, J.L., see Grinstead, G.S., 83 (2000) 237

Neutze, S.A., see Nandra, K.S., 83 (2000) 273

Newbold, C.J., see El Hassan, S.M., 86 (2000) 27

Ngongoni, N.T., see Mupangwa, J.F., 83 (2000) 139

Ngwa, A.T., Pone, D.K. and Mafeni, J.M., Feed selection and dietary preferences of forage by small ruminants grazing natural pastures in the Sahelian zone of Cameroon, 88 (2000) 253

Nhu Phuc, B.H., Ogle, B. and Lindberg, J.E., Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223

Nianogo, A.J., see Savadogo, M., 84 (2000) 265

Nianogo, A.J., see Savadogo, M., 87 (2000) 57

Nichols, P.D., see Kitessa, S.M., 89 (2001) 189

Nichols, P.D., see Kitessa, S.M., 89 (2001) 201

Nogueira Filho, J.C.M., Fondevila, M., Barrios Urdaeta, A. and González Ronquillo, M., In vitro microbial fermentation of tropical grasses at an advanced maturity stage, 83 (2000) 145

Nsahlai, I.V., Osuji, P.O. and Umunna, N.N., Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223

Nsereko, V.L., Morgavi, D.P., Rode, L.M., Beauchemin, K.A. and McAllister, T.A., Effects of fungal enzyme preparations on hydrolysis and subsequent degradation of alfalfa hay fiber by mixed rumen microorganisms in vitro, 88 (2000) 153

Ntim, I., see Atuhene, C.C., 83 (2000) 185

Ochtabińska, A., see Pastuszewska, B., 86 (2000) 117

Oddy, V.H., see Nandra, K.S., 83 (2000) 273

Ogle, B., see Nhu Phuc, B.H., 83 (2000) 223

Olson, K.C., see ZoBell, D.R., 87 (2000) 279

O'Mara, F., see Kavanagh, S., 89 (2001) 49

Ondiek, J.K., see Abdulrazak, S.A., 85 (2000) 89

Orchard, B.A., see Nandra, K.S., 83 (2000) 273

Ortega, C.M.E., see García, C.C.G., 83 (2000) 165

Ortiz, L.T., see Treviño, J., 84 (2000) 155

Ossowski, D.A., see Machmüller, A., 85 (2000) 41

Osuji, P.O., see Nsahlai, I.V., 85 (2000) 223

Ouhida, I., Pérez, J.F., Piedrafita, J. and Gasa, J., The effects of sepiolite in broiler chicken diets of high, medium and low viscosity. Productive performance and nutritive value, 85 (2000) 183

Owen, E., see Mauricio, R.M., 89 (2001) 33

Pack, M. and Höhler, D., Comments on "Effects of DL-methionine hydroxyanalogue (MHA) or DL-methionine (DL-Met) on N-retention in broiler chickens and pigs [A. Römer, H. Abel, Anim. Feed Sci. Technol. 81 (1999) 193-203]", 88 (2000) 129

Palmer, B. and Jones, R.J., The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothrysus* and *Leucaena leucocephala* leaf, 85 (2000) 259

In vitro digestion studies using ¹⁴C-labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothrysus*, 86 (2000) 149

Palmer, B., Jones, R.J., Wina, E. and Tangendjaja, B., The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothrysus*, 87 (2000) 29

Palmer, B., see Jones, R.J., 85 (2000) 215

Pan, Y.-F., see Huang, R.-L., 88 (2000) 79

Papon, Y., see Broudiscou, L.-P., 87 (2000) 263

Paquay, R., see Mabon, N., 85 (2000) 111

Park, J., see Anil, L., 86 (2000) 157

Park, W.-Y., Matsui, T., Yano, F. and Yano, H., Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31

Parhasarathy, S., see Mishra, A.S., 84 (2000) 257

Pascual, J.J., Cervera, C. and Fernández-Carmona, J., The effect of dietary fat on the performance and body composition of rabbits in their second lactation, 86 (2000) 191

Pascual, J.J., see Blas, E., 88 (2000) 239

Pastuszewska, B., Jablecki, G., Świątek, E., Buraczewska, L. and Ochtabińska, A., Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117

Pathak, N.N., see Giri, S.S., 83 (2000) 195

Paton, S.J., see Swanson, K.C., 86 (2000) 95

Peng, J., see Lejeune, A., 84 (2000) 295

Pereda, R., see Marichal, M. de J., 88 (2000) 91

Pérez, J.F., see Ouhida, I., 85 (2000) 183

Perez-Maldonado, R.A., see Farrell, D.J., 85 (2000) 145

Peyraud, J.L., see Delagarde, R., 84 (2000) 49

Phipps, R.H., see Anil, L., 86 (2000) 157

Piedrafita, J., see Ouhida, I., 85 (2000) 183

Piironen, J., see Zyla, K., 89 (2001) 113

Pisulewska, E. and Pisulewski, P.M., Trypsin inhibitor activity of legume seeds (peas, chickling vetch, lentils, and soya beans) as affected by the technique of harvest, 86 (2000) 261

Pisulewski, P.M., see Pisulewska, E., 86 (2000) 261

Piva, G., Moschini, M., Fiorentini, L. and Masoero, F., Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59

Poncet, C., see Archimède, H., 87 (2000) 153

Poncet, C., see Drogoul, C., 87 (2000) 117, 131

Pone, D.K., see Ngwa, A.T., 88 (2000) 253

Powell, M.C., see Muntifering, R.B., 84 (2000) 243

Prasad, R., see Mishra, A.S., 84 (2000) 257

Prestlokken, E., see Harstad, O.M., 83 (2000) 31

Ramana, D.B.V., Singh, S., Solanki, K.R. and Negi, A.S., Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103

Ramirez, L.R., see García, C.C.G., 83 (2000) 165

Ramos, J.J.A., see Cabrera, E.J.I., 83 (2000) 49

Rasool, S., see Ahmad, T., 83 (2000) 103

Ravi, U., Singh, P., Garg, A.K. and Agrawal, D.K., Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121

Rebolé, A., see Treviño, J., 84 (2000) 155

Reed, C., Trigo-Stockli, D., Blasi, D.A. and Fairchild, F.J., Storage of pelleted wheat middlings in farm bins, 88 (2000) 47

Reed, J.D., see Hedqvist, H., 87 (2000) 41

Repetto, J.L., see Cajaville, C., 87 (2000) 203

Rezgui, S., see Moujahed, N., 88 (2000) 219

Richards, C.J., see Swanson, K.C., 86 (2000) 95

Robertson, J.B., see Ruiz, R., 89 (2001) 155

Rode, L.M., see Nsereko, V.L., 88 (2000) 153

Rodríguez, C.A., see Cajaville, C., 87 (2000) 203

Rodríguez, M.L., see Treviño, J., 84 (2000) 155

Römer, A. and Abel, H.J., Corrigendum to "Effects of DL-methionine hydroxyanalogue (MHA) or DL-methionine (DL-Met) on N-retention in broiler chickens and pigs" [Ani. Feed. Sci. Tech. 81 (1999) 193-203], 83 (2000) 325

Rosenkrans Jr., C.F., see Coblenz, W.K., 89 (2001) 17

Ørskov, E.R., see Abdulrazak, S.A., 85 (2000) 89

Ørskov, E.R., see Liu, J.X., 88 (2000) 189

Ruiz, R., Van Soest, P.J., Van Amburgh, M.E., Fox, D.G. and Robertson, J.B., Use of chromium mordanted neutral detergent residue as a predictor of fecal output to estimate intake in grazing high producing Holstein cows, 89 (2001) 155

Sahoo, A., see Giri, S.S., 83 (2000) 195

Sairanen, A., see Khalili, H., 84 (2000) 199

Saki, A.A., see Iji, P.A., 89 (2001) 175

San Martin, R., see Marichal, M. de J., 88 (2000) 91

Santra, A. and Karim, S.A., Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251

Santra, A., see Mishra, A.S., 84 (2000) 257

Sarwar, M., see Ahmad, T., 83 (2000) 103

Sastray, V.R.B., see Elangovan, A.V., 88 (2000) 113

Savadogo, M., Zemmelink, G. and Nianogo, A.J., Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265

Savadogo, M., Zemmelink, G., Nianogo, A.J. and Van Keulen, H., Cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

Scarborough, D.A., see Coblenz, W.K., 89 (2001) 17

Scott, T.W., see Gulati, S.K., 86 (2000) 139

Scott, T.W., see Kitessa, S.M., 89 (2001) 189, 201

Seabra, M., Carvalho, S., Freire, J., Ferreira, R., Mourato, M., Cunha, L., Cabral, F., Teixeira, A. and Aumaitre, A., *Lupinus luteus*, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1

Seynaeve, M., see Van Nevel, C., 83 (2000) 89

Shannak, S., Südekum, K.-H. and Susenbeth, A., Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195

Corrigendum to "Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures". [Anim. Feed. Sci. Technol. 85 (2000) 195-214], 86 (2000) 269

Shaver, R.D., see Bal, M.A., 86 (2000) 83

Shenkoru, T., see Dana, N., 86 (2000) 239

Shinners, K.J., see Bal, M.A., 86 (2000) 83

Siddique, K.H.M., see Hanbury, C.D., 87 (2000) 1

Siljander-Rasi, H., see Laurinen, P., 83 (2000) 1

Simon, O., see Dänicke, S., 84 (2000) 279

Singh, C.K., see Manjunatha, J.V., 87 (2000) 95

Singh, P., see Ravi, U., 88 (2000) 121

Singh, S., see Ramana, D.B.V., 88 (2000) 103

Singh, S.D., see Elangovan, A.V., 88 (2000) 113

Siroka, P., see Váradová, Z., 83 (2000) 127

Skrede, A., see Ljøkkel, K., 84 (2000) 83

Solanki, K.R., see Ramana, D.B.V., 88 (2000) 103

Seerangaraju, G., Krishnamoorthy, U. and Kailas, M.M., Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131

Stahringer, R.C., see Arakaki, L.C., 84 (2000) 121

Stern, M.D., see Bach, A., 84 (2000) 23

Stewart, J.L., see Lister, S.J., 86 (2000) 221

Stoltz, M.A., see Jones, R.J., 85 (2000) 269

Straub, R.J., see Bal, M.A., 86 (2000) 83

Strickling, J.A., Harmon, D.L., Dawson, K.A. and Gross, K.L., Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205

Südekum, K.-H., see Shannak, S., 85 (2000) 195

Südekum, K.-H., see Shannak, S., 86 (2000) 269

Sundstøl, F., see Tolera, A., 85 (2000) 239

Sundstøl, F., see Tolera, A., 87 (2000) 215

Susenbeth, A., see Shannak, S., 85 (2000) 195
 Susenbeth, A., see Shannak, S., 86 (2000) 269
 Svhuis, B., Edvardsen, D.H., Bedford, M.R. and Gullord, M., Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1
 Swanson, K.C., Harmon, D.L., Jacques, K.A., Larson, B.T., Richards, C.J., Bohnert, D.W. and Paton, S.J., Efficacy of chromium-yeast supplementation for growing beef steers, 86 (2000) 95
 Świątkiewicz, S., see Źyla, K., 89 (2001) 113
 Świech, E., see Pastuszewska, B., 86 (2000) 117
 Syrjälä-Qvist, L., see Kokkonen, T., 84 (2000) 213, 229
 Tamminga, S., see van Laar, H., 88 (2000) 13
 Tamminga, S., see Yu, P., 86 (2000) 165
 Tan, Z.-L., see Huang, R.-L., 88 (2000) 79
 Tang, Q., see Guo, Y., 89 (2001) 165
 Tangendjaja, B., see Palmer, B., 87 (2000) 29
 Tavares, J.Y., see Kung, L., 84 (2000) 69
 Tegegne, A., see Dana, N., 86 (2000) 239
 Teixeira, A., see Seabra, M., 89 (2001) 1
 Theodorou, M.K., see Davies, Z.S., 83 (2000) 205
 Theodorou, M.K., see Mauricio, R.M., 89 (2001) 33
 Thewis, A., see Moujahed, N., 88 (2000) 219
 Tisserand, J.L., see Drogoul, C., 87 (2000) 117
 Tisserand, J.L., see Drogoul, C., 87 (2000) 131
 Tivey, D.R., see Iji, P.A., 89 (2001) 175
 Tiwari, C.M., Chandramoni, A.S., Jadhao, S.B., Gowda, S.K. and Khan, M.Y., Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119
 Tiwari, C.M., see , Chandramoni, 83 (2000) 287
 Tokach, M.D., see Grinstead, G.S., 83 (2000) 237
 Tolera, A. and Sundstol, F., Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239
 Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215
 Topps, J.H., see Mupangwa, J.F., 83 (2000) 139
 Treacher, R., see ZoBell, D.R., 87 (2000) 279
 Treviño, J., Rodríguez, M.L., Ortiz, L.T., Rebolé, A. and Alzueta, C., Protein quality of linseed for growing broiler chicks, 84 (2000) 155
 Trigo-Stockli, D., see Reed, C., 88 (2000) 47
 Tuori, M., see Kokkonen, T., 84 (2000) 213
 Tuori, M., see Kokkonen, T., 84 (2000) 229
 Tuppi, K., see Laurinen, P., 83 (2000) 1
 Turner, J.E., see Coblenz, W.K., 89 (2001) 17
 Umunna, N.N., see Nsahlai, I.V., 85 (2000) 223
 Vadiveloo, J., Nutritional properties of the leaf and stem of rice straw, 83 (2000) 57
 Van Amburgh, M.E., see Ruiz, R., 89 (2001) 155
 van Barneveld, R.J., see King, R.H., 83 (2000) 17
 Van De Voorde, G., see Van Nevel, C., 83 (2000) 89
 Van Driessche, E., see Van Nevel, C., 83 (2000) 89
 Van Hove, C., see Lejeune, A., 84 (2000) 295
 Van Keulen, H., see Savadogo, M., 87 (2000) 57
 van Laar, H., Tamminga, S., Williams, B.A. and Versteegen, M.W.A., Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13
 Van Nevel, C., Seynaeve, M., Van De Voorde, G., De Smet, S., Van Driessche, E. and De Wilde, R., Effects of increasing amounts of *Lupinus albus* seeds without or with whole egg powder in the diet of growing pigs on performance, 83 (2000) 89
 Van Soest, P.J., see Ruiz, R., 89 (2001) 155
 Váradayová, Z., Zeleňák, I. and Siroka, P., In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127
 Ventura, M.R., Castanon, J.I.R., Muzquiz, M., Mendez, P. and Flores, M.P., Influence of alkaloid content on intake of subspecies of *Chamaecytisus proliferus*, 85 (2000) 279
 Verma, A.K., Dass, R.S. and Mehra, U.R., Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253
 Verma, S.V.S., see Elangovan, A.V., 88 (2000) 113
 Versteegen, M.W.A., see van Laar, H., 88 (2000) 13
 Vicente, F., see Martín-Orue, S.M., 88 (2000) 59
 Vissia, G.H.P. and Beynen, A.C., Inhibitory effect of dietary carboxymethylcellulose on fat digestibility in rats fed diets containing either starch or glucose, 85 (2000) 139
 Wallace, R.J., see El Hassan, S.M., 86 (2000) 27
 Wathelet, J.-P., see Mabon, N., 85 (2000) 111

Webster, A.J.F., see Kitchenside, M.A., 86 (2000) 125

Weinberg, Z.G., see Flyya, I., 88 (2000) 39

Wenk, C., The Ostrich: Biology, Production and Health. D.C. Deeming (Ed.); CABI Publishing, Wallingford Oxon (UK) and New York (USA), 1999, 360 pp., £ 55.00, US\$ 10 000, hardcover, ISBN 085 199 350 8, 88 (2000) 135

Wettstein, H.-R., Machmüller, A. and Kreuzer, M., Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

Weyers, J.S., see Coblenz, W.K., 89 (2001) 17

White, C.E., Campbell, D.R. and McDowell, L.R., Effects of dry matter content on trypsin inhibitors and urease activity in heat treated soya beans fed to weaned piglets, 87 (2000) 105

White, C.L., see Hanbury, C.D., 87 (2000) 1

Wiedmeier, R.D., see ZoBell, D.R., 87 (2000) 279

Wilkins, R.J. and Jones, R., Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23

Williams, B.A., see van Laar, H., 88 (2000) 13

Wilman, D. and Adesogan, A., A comparison of filter bag methods with conventional tube methods of determining the in vitro digestibility of forages, 84 (2000) 33

Wilman, D., Field, M., Lister, S.J. and Givens, D.I., The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139

Wina, E., see Palmer, B., 87 (2000) 29

Wiseman, J., Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1

Wiseman, J., see Garnsworthy, P.C., 85 (2000) 33

Wubben, J.E., see Albin, D.M., 87 (2000) 173

Xandé, A., see Archimède, H., 87 (2000) 153

Xiao, G.Q., see Hill, J., 89 (2001) 83

Xing, T.-X., see Huang, R.-L., 88 (2000) 79

Yano, F., see Park, W.-Y., 88 (2000) 31

Yano, H., see Park, W.-Y., 88 (2000) 31

Yosef, E. and Ben-Ghedalia, D., Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 83 (2000) 115

Yu, B., Huang, W.-J. and Chiou, P.W.-S., Bioavailability of iron from amino acid complex in weanling pigs, 86 (2000) 39

Yu, P., Goelema, J.O. and Tamminga, S., Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

Yuan, J., see Guo, Y., 89 (2001) 165

Zelenák, I., see Váradová, Z., 83 (2000) 127

Zemmelink, G., see Savadogo, M., 84 (2000) 265

Zemmelink, G., see Savadogo, M., 87 (2000) 57

ZoBell, D.R., Wiedmeier, R.D., Olson, K.C. and Treacher, R., The effect of an exogenous enzyme treatment on production and carcass characteristics of growing and finishing steers, 87 (2000) 279

Żyla, K., Koreleski, J., Świątkiewicz, S., Ledoux, D.R. and Piironen, J., Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113



Subject Index

Animal Feed Science and Technology, volumes 83-89

A. rugosus

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Abomasum

Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189

Acacia

Nutritive evaluation of some Acacia tree leaves from Kenya, 85 (2000) 89

***Acacia cyanophylla* Lindl.**

Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

Acid concentration

The influence of hydrochloric acid concentration and measurement method on the determination of amino acid levels in soya bean products, 87 (2000) 173

Acid phosphatase

Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113

Acid-insoluble ash

A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49

Actinomyces

Effect of inoculation of herbage prior to ensiling with *Streptomyces achromogenes* ISP 5028 on chemical composition of silage, 89 (2001) 83

Aerobic stability

The effect of bacterial inoculants on the fermentation and aerobic stability of whole crop wheat silage, 88 (2000) 39

Air pollution

Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243

Alfalfa

Associative effects of supplementing barley straw diets with alfalfa hay on rumen environment and nutrient intake and digestibility for ewes, 87 (2000) 163

Effects of fungal enzyme preparations on hydrolysis and subsequent degradation of alfalfa hay fiber by mixed rumen microorganisms in vitro, 88 (2000) 153

Algae

Effects of *Spirulina platensis* on growth performance of weanling pigs, 83 (2000) 237

Alkaline treatment

Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59

Alkaloids

Influence of alkaloid content on intake of subspecies of *Chamaecytisus proliferus*, 85 (2000) 279

Allantoin excretion

Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Alysicarpus glumaceous

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

AME

A note on a comparison of the feeding value of sweet potato vines and lucerne meal for broiler chickens, 85 (2000) 145

Amino acid profile

Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass[®]) determined in situ, 83 (2000) 31

Amino acid retention

Protein quality of linseed for growing broiler chicks, 84 (2000) 155

Amino acids

Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83

The influence of hydrochloric acid concentration and measurement method on the determination of amino acid levels in soya bean products, 87 (2000) 173

An in vitro method for the estimation of ileal crude protein and amino acids digestibility using the dialysis tubing for pig feedstuffs, 88 (2000) 79

Ammoniated straw

Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119

Amylase

Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

Anaerobic fungal cultures

Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201

Analysis

FibreCap: an improved method for the rapid analysis of fibre in feeding stuffs, 86 (2000) 125

Antigenic proteins

Lupinus luteus, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1

Antimicrobials

Effects of various compounds on in vitro ruminal fermentation and production of sulfide, 84 (2000) 69

Antinutritional compounds

Effects of increasing amounts of *Lupinus albus* seeds without or with whole egg powder in the diet of growing pigs on performance, 83 (2000) 89

Antinutritional factors

A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1

Aspergillus niger

Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103

Associative effects

Associative effects of supplementing barley straw diets with alfalfa hay on rumen environment and nutrient intake and digestibility for ewes, 87 (2000) 163

Azolla

Carotene content of *Azolla* and its variations during drying and storage treatments, 84 (2000) 295

Bacteria

Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205

Bacterial adhesion

In vitro microbial fermentation of tropical grasses at an advanced maturity stage, 83 (2000) 145

Bacterial inoculants

The effect of bacterial inoculants on the fermentation and aerobic stability of whole crop wheat silage, 88 (2000) 39

Bahiagrass

Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243

Barley

Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

Chemical characterization and in situ nutrient degradability of wet distillers' grains derived

from barley-based ethanol production, 83 (2000) 301

Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13

Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199

Physical processing of barley and its effects on intra-caecal fermentation parameters in ponies, 85 (2000) 79

Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1

Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59

Beef cattle

Efficacy of chromium-yeast supplementation for growing beef steers, 86 (2000) 95

Beef cows

Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133

Beet pulp

Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121

Behaviour

The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129

Bengal gram husk

Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131

Betaine

Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71

The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85

Betaine bypass

Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71

Bioavailability

Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103

Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23

Bioavailability of iron from amino acid complex in weanling pigs, 86 (2000) 39

Birdsfoot trefoil

Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

Blood biochemistry

Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119

Blood meal

Quality characteristics of broiler blood meal as affected by yeast, glucose oxidase, and antioxidant treatments, 83 (2000) 159

Protein degradability and intestinal digestibility of blood meals: comparison of two processing methods, 88 (2000) 91

Body composition

The effect of dietary fat on the performance and body composition of rabbits in their second lactation, 86 (2000) 191

Body growth

Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175

Body weight gain

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239

Bound tannins

Content of soluble and bound condensed tannins of three tropical herbaceous forage legumes, 83 (2000) 139

Broiler

Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103

Quality characteristics of broiler blood meal as affected by yeast, glucose oxidase, and antioxidant treatments, 83 (2000) 159

Interactions between dietary fat type and enzyme supplementation in broiler diets with high

pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279

The effects of sepiolite in broiler chicken diets of high, medium and low viscosity. Productive performance and nutritive value, 85 (2000) 183

Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113

Broiler chick

Protein quality of linseed for growing broiler chicks, 84 (2000) 155

Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Broiler chickens

The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85

Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175

Buffalo

Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253

Bushel weight

Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1

By-product feedstuffs

Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — *in vivo* and *in vitro* digestibility, 85 (2000) 99

C. goreensis

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Ca: P ratio

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Calcium

Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103

Calcium oxide

Rumen degradation in saccus in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313

Calliandra calothrysus

The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothrysus*, 87 (2000) 29

Canine

Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205

Canola

Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

Canola presscake

Effects of untreated and heat-treated canola presscake on milk yield and composition of dairy cows, 89 (2001) 97

Carbohydrase

Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

Carbohydrate fractions

Comparison of major carbohydrate fractions and cell wall digestibility in silages made from older and newer maize genotypes grown in the UK, 89 (2001) 69

Carboxymethylcellulose

Inhibitory effect of dietary carboxymethylcellulose on fat digestibility in rats fed diets containing either starch or glucose, 85 (2000) 139

Carcass traits

Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71

Carcass yield

The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85

Carotene

Carotene content of *Azolla* and its variations during drying and storage treatments, 84 (2000) 295

Cassava leaf meal

Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223

Cassia mimosoides* and *Ipomea eriocarpa

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Cell wall digestibility

Comparison of major carbohydrate fractions and cell wall digestibility in silages made from older and newer maize genotypes grown in the UK, 89 (2001) 69

Cell walls

Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13

Cell-wall degradation

The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139

Cereal grain forages

Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, 89 (2001) 17

Chamaecytisus proliferus

Influence of alkaloid content on intake of subspecies of *Chamaecytisus proliferus*, 85 (2000) 279

Chemical characteristics

Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Chemical composition

Chemical composition, DM and NDF degradation kinetics in rumen of seven legume straws, 83 (2000) 75

Evaluation of the chemical composition and the particle size of maize silages produced in north-west of Portugal, 83 (2000) 173

Vertical distribution of biomass, chemical composition and pepsin-cellulase digestibility in a perennial ryegrass sward: interaction with

month of year, regrowth age and time of day, 84 (2000) 49

Chemical composition and in vitro dry matter digestibility of four parasitic plants (*Tapinanthus lugardii*, *Erianthemum ngamicum*, *Viscum rotundifolium* and *Viscum verrucosum*) in Botswana, 84 (2000) 97

A note on a comparison of the feeding value of sweet potato vines and lucerne meal for broiler chickens, 85 (2000) 145

Effect of inoculation of herbage prior to ensiling with *Streptomyces achromogenes* ISP 5028 on chemical composition of silage, 89 (2001) 83

Chick

Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15

Chickens, Broilers

Blend of oil palm slurry and rice bran as feed ingredient for broiler chickens, 83 (2000) 185

Chickpea haulm

Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239

Chromic oxide

A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49

Chromium

Efficacy of chromium-yeast supplementation for growing beef steers, 86 (2000) 95

Classification

Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

Climate change

Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243

Composition

Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117

Compound feeds

Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195

Concentrate

Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199

Condensed tannins

Content of soluble and bound condensed tannins of three tropical herbaceous forage legumes, 83 (2000) 139

In vitro digestion studies using ^{14}C -labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub legumes and the grass *Panicum maximum*, 85 (2000) 215

An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269

The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*, 87 (2000) 29

Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Opisthoconus hoazin*) and cow rumen fluid with seven tropical forages, 87 (2000) 287

Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103

Conjugated linoleic acid

Protection of conjugated linoleic acids from ruminal hydrogenation and their incorporation into milk fat, 86 (2000) 139

Corn

Influence of dietary, rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59

Corn silage

Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83

Cowpea haulms

Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Araucaria hypogaea* L.) haulms by sheep, 84 (2000) 265

Cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Araucaria hypogaea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

Cows

Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

Crossbred bulls

Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195

Crotalaria senegalensis

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Crude protein

An in vitro method for the estimation of ileal crude protein and amino acids digestibility using the dialysis tubing for pig feedstuffs, 88 (2000) 79

Cynara cardunculus

Nutritional evaluation of cardoon (*Cynara cardunculus*) seed for ruminants, 87 (2000) 203

Dairy

Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23

Dairy cows

Effect of feeding tamarind (*Tamarindus indica*) seed husk as a source of tannin on dry matter intake, digestibility of nutrients and production performance of crossbred dairy cows in mid-lactation, 83 (2000) 67

Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83

Effect of feeding undegraded intake protein at a level greater than National Research Council recommendation on the lactational performance of crossbred cows, 87 (2000) 95

Use of chromium mordanted neutral detergent residue as a predictor of fecal output to estimate intake in grazing high producing Holstein cows, 89 (2001) 155

Defaunation

Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251

Deglucosining

Quality characteristics of broiler blood meal as affected by yeast, glucose oxidase, and antioxidant treatments, 83 (2000) 159

Degradoability

In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127
 The effect of animal species on in saccus degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273

The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and in vitro gas production degradability parameters, 87 (2000) 231

Protein degradability and intestinal digestibility of blood meals: comparison of two processing methods, 88 (2000) 91

Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33

Degradation

Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Desmodium intortum

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215

DHA

Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Dicotyledons

Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13

Dietary energy

Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1

Dietary fat

The effect of dietary fat on the performance and body composition of rabbits in their second lactation, 86 (2000) 191

Dietary fibre

Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71

Dietary preference

Feed selection and dietary preferences of forage by small ruminants grazing natural pastures in the Sahelian zone of Cameroon, 88 (2000) 253

Digesta flow

Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Digesta passage

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 2. Rumen fermentation and digesta passage rate, 84 (2000) 229

Digestibility

Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO₂ treatment and passage through the gastrointestinal system of sheep, 83 (2000) 115

Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195

An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205

Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223

Feeding tallow triglycerides of different saturation and particle size to lactating dairy cows, 83 (2000) 249

Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213

Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265

Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239

Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117

The potential of forage-maize intercrops in ruminant nutrition, 86 (2000) 157

Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177

The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*, 87 (2000) 29

Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71

Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239

Lupinus luteus, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1

Digestibility and balance of nutrients

Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121

Digestion

Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165

Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23

Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41

Stage of maturity, processing, and hybrid effects on ruminal *in situ* disappearance of whole-plant corn silage, 86 (2000) 83

Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205

Effect of regrowth age on intake and digestion of *Digitaria decumbens* consumed by Black-belly sheep, 87 (2000) 153

The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139

Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

Digestion kinetics

Influence of nonfiber carbohydrate concentration on forage fiber digestion *in vitro*, 86 (2000) 107

Digitaria decumbens

Effect of regrowth age on intake and digestion of *Digitaria decumbens* consumed by Black-belly sheep, 87 (2000) 153

Direct-fed microbials

Influence of an anaerobic fungal culture administration on *in vivo* ruminal fermentation and nutrient digestion, 88 (2000) 201

Disappearance kinetics

Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, 89 (2001) 17

Distillers' grains

Chemical characterization and *in situ* nutrient degradability of wet distillers' grains derived from barley-based ethanol production, 83 (2000) 301

DM intake

Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239

DMD

The effect of PEG addition *in vitro* on dry matter and nitrogen digestibility of *Calliandra calothyrsus* and *Leucaena leucocephala* leaf, 85 (2000) 259

In vitro digestion studies using ¹⁴C-labelled polyethylene glycol (PEG): the effect of

sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothrysus*, 86 (2000) 149

Dry matter

The effect of animal species on in sacco degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273

Dry matter loss

Cellulase treatment of untreated and steam pre-treated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189

Dry sub-humid

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Drying

Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121

Duodenal flow

Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31

DVE/OEB model

Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

Egg performance

The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171

Egg powder

Effects of increasing amounts of *Lupinus albus* seeds without or with whole egg powder in the diet of growing pigs on performance, 83 (2000) 89

Egg production

Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets, 88 (2000) 113

Energy

The energy value of *Lupinus angustifolius* and *Lupinus albus* for growing pigs, 83 (2000) 17

Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239

Energy metabolism

Energy metabolism with particular reference to methane production in Muzaffarnagar sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287

Energy utilization

Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41

Ensiled cassava leaves

Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223

Enzymatic activity

In vitro microbial fermentation of tropical grasses at an advanced maturity stage, 83 (2000) 145

Enzyme

Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

The effect of an exogenous enzyme treatment on production and carcass characteristics of growing and finishing steers, 87 (2000) 279

Enzyme treatment

Cellulase treatment of untreated and steam pre-treated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189

EPA

Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Equine hindgut

Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in vivo digestibility and rate of passage of digesta, 87 (2000) 117

Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

Esterases

Effects of fungal enzyme preparations on hydrolysis and subsequent degradation of alfalfa hay fiber by mixed rumen microorganisms in vitro, 88 (2000) 153

Evaluation with broilers

A note on a comparison of the feeding value of sweet potato vines and lucerne meal for broiler chickens, 85 (2000) 145

Expansion

Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13

Faeces

Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33

Fat digestibility

Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279

Fat supplementation

Effects of untreated and heat-treated canola presscake on milk yield and composition of dairy cows, 89 (2001) 97

Fatty acids

Feeding tallow triglycerides of different saturation and particle size to lactating dairy cows, 83 (2000) 249

Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Feed

Carotene content of *Azolla* and its variations during drying and storage treatments, 84 (2000) 295

Feed conversion efficiency

Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121

Feed intake

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. I. Feed intake, digestibility and body weight change, 85 (2000) 239

Feeding stuffs

FibreCap: an improved method for the rapid analysis of fibre in feeding stuffs, 86 (2000) 125

Feedstuffs

Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195

Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Fermentation

In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127

An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205

Effects of various compounds on in vitro ruminal fermentation and production of sulfide, 84 (2000) 69

Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205

Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263

Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13

The effect of bacterial inoculants on the fermentation and aerobic stability of whole crop wheat silage, 88 (2000) 39

Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201

Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

Effect of inoculation of herbage prior to ensiling with *Streptomyces achromogenes* ISP 5028 on chemical composition of silage, 89 (2001) 83

Fermentation kinetics

Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33

Ferulic acid

Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 83 (2000) 115

Fiber

Stage of maturity, processing, and hybrid effects on ruminal *in situ* disappearance of whole-plant corn silage, 86 (2000) 83

Influence of nonfiber carbohydrate concentration on forage fiber digestion *in vitro*, 86 (2000) 107

Intra-caecal fermentation parameters in ponies fed botanically diverse fibre-based diets, 84 (2000) 183

FibreCap: an improved method for the rapid analysis of fibre in feeding stuffs, 86 (2000) 125

Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239

Fiber concentration

Divergent selection for two laboratory predictors of voluntary intake: relationships among the predictors and leaf morphology variables, 84 (2000) 107

Fibre analysis

The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*, 87 (2000) 29

Fibre digestion

Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for *in vivo* digestibility and rate of passage of digesta, 87 (2000) 117

Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

Fibre fermentation

Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

Fibres

Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1

Fibrolytic enzymes

Effects of fungal enzyme preparations on hydrolysis and subsequent degradation of alfalfa hay fiber by mixed rumen microorganisms *in vitro*, 88 (2000) 153

Fibrous feed

The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129

Filter bags

A comparison of filter bag methods with conventional tube methods of determining the *in vitro* digestibility of forages, 84 (2000) 33

Fineness

Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

Finishing

The effect of an exogenous enzyme treatment on production and carcass characteristics of growing and finishing steers, 87 (2000) 279

Fish meal

Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83

Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119

Flavonoid

Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263

Foliage

Chemical composition and degradation characteristics of foliage of some African multipurpose trees, 86 (2000) 27

Forage quality

Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243

The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and *in vitro* gas production degradability parameters, 87 (2000) 231

Forages

A comparison of filter bag methods with conventional tube methods of determining the *in vitro* digestibility of forages, 84 (2000) 33

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Comparison of bovine rumen liquor and bovine faeces as inoculum for an *in vitro* gas production technique for evaluating forages, 89 (2001) 33

Forbs

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Foregut fermentation

Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Opisthocomus hoazin*) and cow rumen fluid with seven tropical forages, 87 (2000) 287

Gas production

In vitro microbial fermentation of tropical grasses at an advanced maturity stage, 83 (2000) 145

An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205

Nutritive evaluation of some Acacia tree leaves from Kenya, 85 (2000) 89

The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and in vitro gas production degradability parameters, 87 (2000) 231

The effect of fermentable nitrogen availability on in vitro gas production and degradability of NDF, 87 (2000) 241

Cellulase treatment of untreated and steam pre-treated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189

Gastrointestinal passage rate

Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in vivo digestibility and rate of passage of digesta, 87 (2000) 117

Genetics

Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Gliricidia maculata

Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

Gliricidia sepium

Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

β-glucanase

Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

Glucose tolerance

Efficacy of chromium-yeast supplementation for growing beef steers, 86 (2000) 95

Goats

Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — in vivo and in vitro digestibility, 85 (2000) 99

Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Grain

Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1

Grain feeding

Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59

Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171

Grainless diets

Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195

Grass silage

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 2. Rumen fermentation and digesta passage rate, 84 (2000) 229

Grasses

Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23

The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139

Grinding

Fractionation of pea flour with pilot scale sieving. I. Physical and chemical characteristics of pea seed fractions, 85 (2000) 61

Groundnut haulm

Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachys hypogaea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep. 84 (2000) 265

Growing

The effect of an exogenous enzyme treatment on production and carcass characteristics of growing and finishing steers. 87 (2000) 279

Growing cattle

Phosphorus nutrition of grazing cattle: a review. 89 (2001) 133

Growth

The effect of four fibrous feed supplementations on different welfare traits in veal calves. 84 (2000) 129

Efficacy of chromium-yeast supplementation for growing beef steers. 86 (2000) 95

Growth performance of faunated and defaunated Malpura weaner lambs. 86 (2000) 251

Growth performance

Blend of oil palm slurry and rice bran as feed ingredient for broiler chickens. 83 (2000) 185

Effect of source of betaine on growth performance and carcass traits in lambs. 86 (2000) 71

Growth rate

Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake. 88 (2000) 121

Growth stage

Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas. 89 (2001) 17

Guinea grass

Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass. 84 (2000) 167

Haematology

Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets. 88 (2000) 113

Harvesting techniques

Trypsin inhibitor activity of legume seeds (peas, chickling vetch, lentils, and soya beans) as affected by the technique of harvest. 86 (2000) 261

Hay processing

Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in vivo digestibility and rate of passage of digesta. 87 (2000) 117

Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon. 87 (2000) 131

HCN

Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention. 83 (2000) 223

Health

The effect of four fibrous feed supplementations on different welfare traits in veal calves. 84 (2000) 129

Heat treatment

Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows. 84 (2000) 83

Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep. 88 (2000) 31

Effects of untreated and heat-treated canola presscake on milk yield and composition of dairy cows. 89 (2001) 97

Herbaceous dicots

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria. 84 (2000) 137

Highland sheep

Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay. 86 (2000) 239

Hindgut

In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep. 83 (2000) 127

Histopathology

Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets. 88 (2000) 113

Hoatzin

Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Opisthocomus hoazin*) and cow rumen fluid with seven tropical forages. 87 (2000) 287

Horse

Physical processing of barley and its effects on intra-caecal fermentation parameters in ponies, 85 (2000) 79

Horse bean

Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

Hot climates

The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171

HPLC gel permeation chromatography

Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

Hydrogen peroxide

Rumen degradation in sacco in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313

Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Hydroxystearic acid

Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189

In sacco

The effect of animal species on in sacco degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273

In sacco degradability

Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103

In sacco degradation

Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

In situ

Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, 89 (2001) 17

In situ degradability

Chemical composition, DM and NDF degradation kinetics in rumen of seven legume straws, 83 (2000) 75

Nutritive evaluation of some Acacia tree leaves from Kenya, 85 (2000) 89

In vitro

In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127
Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59

In vitro digestibility

A comparison of filter bag methods with conventional tube methods of determining the in vitro digestibility of forages, 84 (2000) 33

Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — in vivo and in vitro digestibility, 85 (2000) 99

In vitro digestion studies using ¹⁴C-labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub legumes and the grass *Panicum maximum*, 85 (2000) 215

The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothyrsus* and *Leucaena leucocephala* leaf, 85 (2000) 259

In vitro digestion studies using ¹⁴C-labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149

An in vitro method for the estimation of ileal crude protein and amino acids digestibility using the dialysis tubing for pig feedstuffs, 88 (2000) 79

In vitro digestion

An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269

In vitro dry matter digestibility

Chemical composition and in vitro dry matter digestibility of four parasitic plants (*Tapinanthus lugardii*, *Erianthemum ngamicum*, *Viscum rotundifolium* and *Viscum verrucosum*) in Botswana, 84 (2000) 97

In vitro gas production

Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33

In vitro studies

Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187

In vivo

Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — in vivo and in vitro digestibility, 85 (2000) 99

Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59

Intake

Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223

Influence of alkaloid content on intake of subspecies of *Chamaecytisus proliferus*, 85 (2000) 279

The potential of forage-maize intercrops in ruminant nutrition, 86 (2000) 157

Effect of regrowth age on intake and digestion of *Digitaria decumbens* consumed by Black-belly sheep, 87 (2000) 153

Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121

Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

Use of chromium mordanted neutral detergent residue as a predictor of fecal output to estimate intake in grazing high producing Holstein cows, 89 (2001) 155

Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Intercrops

The potential of forage-maize intercrops in ruminant nutrition, 86 (2000) 157

Intestinal digestibility

Protein degradability and intestinal digestibility of blood meals: comparison of two processing methods, 88 (2000) 91

Intestinal function

Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175

Intra-caecal fermentation parameters

Intra-caecal fermentation parameters in ponies fed botanically diverse fibre-based diets, 84 (2000) 183

Physical processing of barley and its effects on intra-caecal fermentation parameters in ponies, 85 (2000) 79

Intramuscular fat

Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71

In-vitro digestibility

Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Opisthocomus hoazin*) and cow rumen fluid with seven tropical forages, 87 (2000) 287

Ionophores

The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121

Iron-amino acid complex

Bioavailability of iron from amino acid complex in weanling pigs, 86 (2000) 39

Iso-production curves

Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachys hypogea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

Karanj (*Pongamia pinnata*) cake

Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121

***L. albus* seeds**

Effects of increasing amounts of *Lupinus albus* seeds without or with whole egg powder in the diet of growing pigs on performance, 83 (2000) 89

Lambs

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 3. Antinutritional factors in plasma and organs, 85 (2000) 111

Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71

Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251

Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121

Lathyrism

A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1

Lathyrus

A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1

Lathyrus cicera

Lupinus luteus, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1

Leaf

Nutritional properties of the leaf and stem of rice straw, 83 (2000) 57

Lecithin

Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

Legume seeds

Trypsin inhibitor activity of legume seeds (peas, chickling vetch, lentils, and soya beans) as affected by the technique of harvest, 86 (2000) 261

Legume straws

Chemical composition, DM and NDF degradation kinetics in rumen of seven legume straws, 83 (2000) 75

Legumes

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23

Leucaena leucocephala

Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239

Linseed

Protein quality of linseed for growing broiler chicks, 84 (2000) 155

Lipid digestion

Inhibitory effect of dietary carboxymethylcellulose on fat digestibility in rats fed diets containing either starch or glucose, 85 (2000) 139

Lipids

Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41

Liquid diet

Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253

Live weight change

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213

Lupins

The energy value of *Lupinus angustifolius* and *Lupinus albus* for growing pigs, 83 (2000) 17

Lupinus luteus

Lupinus luteus, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1

Lys

Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass[®]) determined in situ, 83 (2000) 31

Maize silage

Evaluation of the chemical composition and the particle size of maize silages produced in north-west of Portugal, 83 (2000) 173

Comparison of major carbohydrate fractions and cell wall digestibility in silages made from older and newer maize genotypes grown in the UK, 89 (2001) 69

Maize sources

Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15

Maize stover

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen

fermentation and nitrogen metabolism, 87 (2000) 215

Maize-soyabean meal

Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15

MALDI-TOF mass spectrometry

Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

Markers

A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49

Use of chromium mordanted neutral detergent residue as a predictor of fecal output to estimate intake in grazing high producing Holstein cows, 89 (2001) 155

Meals

Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117

Measurement methods

The influence of hydrochloric acid concentration and measurement method on the determination of amino acid levels in soya bean products, 87 (2000) 173

Meat meals

Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59

Met

Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass[®]) determined in situ, 83 (2000) 31

Methane

Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41

Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

Methane production

Energy metabolism with particular reference to methane production in Muzaffarnagar sheep

fed rations varying in roughage to concentrate ratio, 83 (2000) 287

Methanogenesis

Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263

Methionine

Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23

The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85

Methods

Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195

Microbial activity

Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33

Microbial colonization

Colonization and source of N substrates used by microorganisms digesting forages incubated in synthetic fibre bags in the rumen, 83 (2000) 261

Microbial composition

Microbial protein supply from the rumen, 85 (2000) 1

Microbial protein

Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Microbial protein synthesis

Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171

Microbial synthesis

Microbial protein supply from the rumen, 85 (2000) 1

Micronization

Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13

Micro-organism

Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263

Milk fat

Protection of conjugated linoleic acids from ruminal hydrogenation and their incorporation into milk fat, 86 (2000) 139

Milk fatty acids

Effects of untreated and heat-treated canola presscake on milk yield and composition of dairy cows, 89 (2001) 97

Milk production

Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. I. Milk production and feed utilisation, 84 (2000) 213

Milk yield

Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Milling

Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

Mobile nylon bag technique

Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass[®]) determined in situ, 83 (2000) 31

Molasses

Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121

Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253

Monensin

Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165

The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121

Monocotyledons

Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship

between cell wall characteristics and fermentability, 88 (2000) 13

Monogastric

Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

Multinutrient block

Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

Multipurpose trees

Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

Multivariate

Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

Mustard straw

Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Muzaffarnagari sheep

Energy metabolism with particular reference to methane production in Muzaffarnagari sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287

NDF fermentation

The effect of fermentable nitrogen availability on in vitro gas production and degradability of NDF, 87 (2000) 241

N-digestibility

The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothyrsus* and *Leucaena leucocephala* leaf, 85 (2000) 259

In vitro digestion studies using ¹⁴C-labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149

Near infrared reflectance spectroscopy (NIRS)

Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

Near infrared spectroscopy

The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139

Neem kernel meal

Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets, 88 (2000) 113

Neutral detergent

Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177

Nigeria

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Nitrogen

Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49

Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, 89 (2001) 17

Nitrogen retention

Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215

Nitrogen source

Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195

Nitrogen utilization

Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223

Nonfiber carbohydrate

Influence of nonfiber carbohydrate concentration on forage fiber digestion in vitro, 86 (2000) 107

Nonruminant

Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83

Non-starch polysaccharide

Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175

Non-starch polysaccharides

Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121

NRC

Effect of feeding undegraded intake protein at a level greater than National Research Council recommendation on the lactational performance of crossbred cows, 87 (2000) 95

Nutrient composition

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Nutrient degradability

Chemical characterization and in situ nutrient degradability of wet distillers' grains derived from barley-based ethanol production, 83 (2000) 301

Nutrient utilization

Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251

Nutritional value

Nutritional properties of the leaf and stem of rice straw, 83 (2000) 57

Nutritive value

Energy metabolism with particular reference to methane production in Muzaffarnagar sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287

Nutritive evaluation of some Acacia tree leaves from Kenya, 85 (2000) 89

Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187

Nutritional evaluation of cardoon (*Cynara cardunculus*) seed for ruminants, 87 (2000) 203

Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103

Nylon bag technique

Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass[®]) determined in situ, 83 (2000) 31

Oats

Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1

ODAP

A review of the potential of *Lathyrus sativus* L. and *L. cicerina* L. grain for use as animal feed, 87 (2000) 1

Odd-chain fatty acids

Microbial protein supply from the rumen, 85 (2000) 1

Oil palm slurry

Blend of oil palm slurry and rice bran as feed ingredient for broiler chickens, 83 (2000) 185

Oilseeds

Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41

Oligosaccharides

Evaluation of oligosaccharide addition to dog diets: influence on nutrient digestion and microbial populations, 86 (2000) 205

Olive leaves

Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187

Optimal pressure toasting

Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

Optimum feeding levels

Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265

Optimum ration

Cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover:

intake, digestibility and optimum feeding levels, 87 (2000) 57

Osmotic pressure

Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Ozone

Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243

Parasitic plants

Chemical composition and in vitro dry matter digestibility of four parasitic plants (*Tapinanthus lugardii*, *Erianthemum ngamicum*, *Viscum rotundifolium* and *Viscum verrucosum*) in Botswana, 84 (2000) 97

Particle size

Evaluation of the chemical composition and the particle size of maize silages produced in north-west of Portugal, 83 (2000) 173

Feeding tallow triglycerides of different saturation and particle size to lactating dairy cows, 83 (2000) 249

Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13

Divergent selection for two laboratory predictors of voluntary intake: relationships among the predictors and leaf morphology variables, 84 (2000) 107

Fractionation of pea flour with pilot scale sieving. I. Physical and chemical characteristics of pea seed fractions, 85 (2000) 61

Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15

Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Pasture

Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199

Use of chromium mordanted neutral detergent residue as a predictor of fecal output to estimate intake in grazing high producing Holstein cows, 89 (2001) 155

p-Coumaric acid

Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 83 (2000) 115

Pea

Fractionation of pea flour with pilot scale sieving. I. Physical and chemical characteristics of pea seed fractions, 85 (2000) 61

Pectinase

Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113

PEG

An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269
Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

PEG 4000

In vitro digestion studies using ¹⁴C-labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub legumes and the grass *Panicum maximum*, 85 (2000) 215

PEG binding

In vitro digestion studies using ¹⁴C-labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub legumes and the grass *Panicum maximum*, 85 (2000) 215

The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothyrsus* and *Leucaena leucocephala* leaf, 85 (2000) 259

In vitro digestion studies using ¹⁴C-labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149

The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*, 87 (2000) 29

PEG-tannin complexes

An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269

Pellets

Storage of pelleted wheat middlings in farm bins, 88 (2000) 47

Pepsin-cellulase digestibility

Vertical distribution of biomass, chemical composition and pepsin-cellulase digestibility in a perennial ryegrass sward: interaction with

month of year, regrowth age and time of day, 84 (2000) 49

Perennial ryegrass

Vertical distribution of biomass, chemical composition and pepsin-cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

Performance

Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195

Effects of *Spirulina platensis* on growth performance of weanling pigs, 83 (2000) 237

The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85

Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Phosphate

Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177

Phosphorus

Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103

Phosphorus excretion

Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113

Physical and chemical characteristics

Fractionation of pea flour with pilot scale sieving. I. Physical and chemical characteristics of pea seed fractions, 85 (2000) 61

Physical characteristics

Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Physical processing

Physical processing of barley and its effects on intra-caecal fermentation parameters in ponies, 85 (2000) 79

Physical properties

Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Phytase

Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103

Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113

Phytate

Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15

Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31

Pig growth

Effects of increasing amounts of *Lupinus albus* seeds without or with whole egg powder in the diet of growing pigs on performance, 83 (2000) 89

Pig performance

Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

Piglet nutrition

Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13

Piglets

Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71

Effects of dry matter content on trypsin inhibitors and urease activity in heat treated soya beans fed to weaned piglets, 87 (2000) 105

Lupinus luteus, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1

Pigs

Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

The energy value of *Lupinus angustifolius* and *Lupinus albus* for growing pigs, 83 (2000) 17

Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223

Effects of *Spirulina platensis* on growth performance of weanling pigs, 83 (2000) 237

Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1

An in vitro method for the estimation of ileal crude protein and amino acids digestibility using the dialysis tubing for pig feedstuffs, 88 (2000) 79

A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49

Plane of nutrition

Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251

Plant breeding

Divergent selection for two laboratory predictors of voluntary intake: relationships among the predictors and leaf morphology variables, 84 (2000) 107

Plant extract

Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263

Plasma lipids

Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189

Polyethylene glycol

Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131

Pony

Intra-caecal fermentation parameters in ponies fed botanically diverse fibre-based diets, 84 (2000) 183

Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in vivo digestibility and rate of passage of digesta, 87 (2000) 117

Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

Poultry

Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1

Predicting in vivo digestibility

Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187

Prediction

Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223

Pretreatment

Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177

Proanthocyanidins

Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

Protected fat supplements

Protection of conjugated linoleic acids from ruminal hydrogenation and their incorporation into milk fat, 86 (2000) 139

Protected groundnut cake

Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119

Protected lipid

Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189

Protein

Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass[®]) determined in situ, 83 (2000) 31

Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49

The effect of animal species on in saccus degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273

Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23

The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171

A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1

Protein degradation

Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195

Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

Protein evaluation

Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

Protein quality

Protein quality of linseed for growing broiler chicks, 84 (2000) 155

Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59

Protein value

Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117

Protein-energy interactions

The effect of fermentable nitrogen availability on in vitro gas production and degradability of NDF, 87 (2000) 241

Protozoa

The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121

Pullet

The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171

Purine bases

Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171

Purine derivatives

Microbial protein supply from the rumen, 85 (2000) 1

Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215

Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171

Quails

Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets, 88 (2000) 113

Quality

Quality characteristics of broiler blood meal as affected by yeast, glucose oxidase, and antioxidant treatments, 83 (2000) 159

Rabbit

Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239

Rabbit does

The effect of dietary fat on the performance and body composition of rabbits in their second lactation, 86 (2000) 191

Rapeseed

Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31

Rapeseed lecithin gums

Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117

Rapeseed meal

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and

performance. 3. Antinutritional factors in plasma and organs, 85 (2000) 111

Rats

Inhibitory effect of dietary carboxymethylcellulose on fat digestibility in rats fed diets containing either starch or glucose, 85 (2000) 139

Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117

Rearing diets

The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171

Regrowth age

Vertical distribution of biomass, chemical composition and pepsin-cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

Reproductive performance

The effect of dietary fat on the performance and body composition of rabbits in their second lactation, 86 (2000) 191

Requirements

Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133

Retention time

The effects of sepiolite in broiler chicken diets of high, medium and low viscosity. Productive performance and nutritive value, 85 (2000) 183

Rice bran

Blend of oil palm slurry and rice bran as feed ingredient for broiler chickens, 83 (2000) 185

Rice straw

Nutritional properties of the leaf and stem of rice straw, 83 (2000) 57

Cellulase treatment of untreated and steam pre-treated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189

Roughage: concentrate ratios

Energy metabolism with particular reference to methane production in Muzaffarnagar sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287

Rumen

In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127
 An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205
 Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23
 Effects of various compounds on in vitro ruminal fermentation and production of sulfide, 84 (2000) 69
 The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121
 The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129
 Microbial protein supply from the rumen, 85 (2000) 1
 Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33
 Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195
 Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83
 Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263
 Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201
 Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189

Rumen ammonia

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215

Rumen availability

Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131

Rumen degradability

Nutritional evaluation of cardoon (*Cynara cardunculus*) seed for ruminants, 87 (2000) 203

Rumen degradable protein

Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59

Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171

Rumen degradation

Rumen degradation in saccus in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313

Rumen fermentation

Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165

Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 2. Rumen fermentation and digesta passage rate, 84 (2000) 229

Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59

Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119

Rumen fluid inoculum

Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33

Rumen hydrogenation

Protection of conjugated linoleic acids from ruminal hydrogenation and their incorporation into milk fat, 86 (2000) 139

Rumen microbes

Phosphate rather than surfactant accounts for the main contribution to enhanced fibre

digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177

The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and *in vitro* gas production degradability parameters, 87 (2000) 231

Ruminal pH

Influence of nonfiber carbohydrate concentration on forage fiber digestion *in vitro*, 86 (2000) 107

Ruminants

Chemical composition, DM and NDF degradation kinetics in rumen of seven legume straws, 83 (2000) 75

Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83

Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23

Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41

Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

Chemical composition and degradation characteristics of foliage of some African multipurpose trees, 86 (2000) 27

Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Saccharomyces cerevisiae

Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49

Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165

Sahel

Feed selection and dietary preferences of forage by small ruminants grazing natural pastures in the Sahelian zone of Cameroon, 88 (2000) 253

Sample preparation

In vitro digestion studies using ^{14}C -labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149

Saturation

Feeding tallow triglycerides of different saturation and particle size to lactating dairy cows, 83 (2000) 249

Savanna

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Season

Vertical distribution of biomass, chemical composition and pepsin-cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

Selective consumption

Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265

Cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

Semi-arid

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Seminal characteristics

Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239

Sepiolite

The effects of sepiolite in broiler chicken diets of high, medium and low viscosity. Productive performance and nutritive value, 85 (2000) 183

Sheep

Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO_2 treatment and passage through the gastro-intestine of sheep, 83 (2000) 115

Colonization and source of N substrates used by microorganisms digesting forages incubated in synthetic fibre bags in the rumen, 83 (2000) 261

Chemical composition and nutritive value of some tropical by-product feedstuffs for small

ruminants — in vivo and in vitro digestibility, 85 (2000) 99

Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131

The potential of forage-maize intercrops in ruminant nutrition, 86 (2000) 157

Effect of regrowth age on intake and digestion of *Digitaria decumbens* consumed by Black-belly sheep, 87 (2000) 153

Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187

Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31

Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201

Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

Sheep supplementation

Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Sheep versus cattle

The effect of animal species on in sacco degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273

Shrubs

Influence of alkaloid content on intake of subspecies of *Chamaecytisus proliferus*, 85 (2000) 279

Silage

An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205

Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23

The effect of bacterial inoculants on the fermentation and aerobic stability of whole crop wheat silage, 88 (2000) 39

The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139

Effect of inoculation of herbage prior to ensiling with *Streptomyces achromogenes* ISP 5028 on chemical composition of silage, 89 (2001) 83

Silage degradability

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 2. Rumen fermentation and digesta passage rate, 84 (2000) 229

Silage quality

The potential of forage-maize intercrops in ruminant nutrition, 86 (2000) 157

Small ruminants

Feed selection and dietary preferences of forage by small ruminants grazing natural pastures in the Sahelian zone of Cameroon, 88 (2000) 253

Smooth bromegrass

Divergent selection for two laboratory predictors of voluntary intake: relationships among the predictors and leaf morphology variables, 84 (2000) 107

Sodium hydroxide

Rumen degradation in sacco in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313

Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Soluble tannins

Content of soluble and bound condensed tannins of three tropical herbaceous forage legumes, 83 (2000) 139

Sorghum stover

Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265

Cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

SO₂-treated wheat straw

Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO₂ treatment and passage through the gastro-intestine of sheep, 83 (2000) 115

Soya bean

Effects of dry matter content on trypsin inhibitors and urease activity in heat treated soya beans fed to weaned piglets, 87 (2000) 105

Soya bean products

The influence of hydrochloric acid concentration and measurement method on the determination of amino acid levels in soya bean products, 87 (2000) 173

Soya oil

Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279

Soybean meal

Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83

Stage of maturity

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239

Starch

Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83

Status indicators

Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133

Steer

Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49

The effect of an exogenous enzyme treatment on production and carcass characteristics of growing and finishing steers, 87 (2000) 279

Stem

Nutritional properties of the leaf and stem of rice straw, 83 (2000) 57

Storage

Storage of pelleted wheat middlings in farm bins, 88 (2000) 47

Storage molds

Storage of pelleted wheat middlings in farm bins, 88 (2000) 47

Straw

Rumen degradation in saccus in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313

Associative effects of supplementing barley straw diets with alfalfa hay on rumen environment and nutrient intake and digestibility for ewes, 87 (2000) 163

Substitution rate

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239

Sugar composition

Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13

Sugar profiles

Cellulase treatment of untreated and steam pre-treated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189

Sulfide

Effects of various compounds on in vitro ruminal fermentation and production of sulfide, 84 (2000) 69

Supplement

Chemical composition and degradation characteristics of foliage of some African multipurpose trees, 86 (2000) 27

Supplementation

Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachis hypogaea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119

Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133

Sweet potato vines

A note on a comparison of the feeding value of sweet potato vines and lucerne meal for broiler chickens, 85 (2000) 145

Synthetic fibre bags

Colonization and source of N substrates used by microorganisms digesting forages incubated in synthetic fibre bags in the rumen, 83 (2000) 261

Tallow

Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279

Tamarind seed husk

Effect of feeding tamarind (*Tamarindus indica*) seed husk as a source of tannin on dry matter intake, digestibility of nutrients and production performance of crossbred dairy cows in mid-lactation, 83 (2000) 67

Tannin

Effect of feeding tamarind (*Tamarindus indica*) seed husk as a source of tannin on dry matter intake, digestibility of nutrients and production performance of crossbred dairy cows in mid-lactation, 83 (2000) 67

Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131

In vitro digestion studies using ^{14}C -labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149

Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

Tannin containing shrub legumes

The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothyrsus* and *Leucaena leucocephala* leaf, 85 (2000) 259

Tanniniferous shrubs

Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Opisthocomus hoazin*) and cow rumen fluid with seven tropical forages, 87 (2000) 287

Techniques

The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid

and in vitro gas production degradability parameters, 87 (2000) 231

Thigh meat quality

Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Thiobarbituric acid reactive substance (TBARS)

Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Thiocyanate ions

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 3. Antinutritional factors in plasma and organs, 85 (2000) 111

Thousand grain weight

Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1

Time of day

Vertical distribution of biomass, chemical composition and pepsin-cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

Titanium dioxide

A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49

 α -Tocopherol

Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Total phenolics

Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103

Transit time

Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71

Tree leaves

Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103

Tropical browse

In vitro digestion studies using ^{14}C -labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub legumes and the grass *Panicum maximum*, 85 (2000) 215

An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269

Tropical grasses

In vitro microbial fermentation of tropical grasses at an advanced maturity stage, 83 (2000) 145

Tropical legumes

Content of soluble and bound condensed tannins of three tropical herbaceous forage legumes, 83 (2000) 139

Trypsin inhibitor activity

Trypsin inhibitor activity of legume seeds (peas, chickling vetch, lentils, and soya beans) as affected by the technique of harvest, 86 (2000) 261

Trypsin inhibitors

Effects of dry matter content on trypsin inhibitors and urease activity in heat treated soya beans fed to weaned piglets, 87 (2000) 105

Tuna oil

Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189

Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Undegraded intake protein

Effect of feeding undegraded intake protein at a level greater than National Research Council recommendation on the lactational performance of crossbred cows, 87 (2000) 95

Urea

Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49

Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195

Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253

Urease activity

Effects of dry matter content on trypsin inhibitors and urease activity in heat treated soya beans fed to weaned piglets, 87 (2000) 105

Urinary spot sample

Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223

Urine output

Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223

Veal calves

The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129

Vertical structure

Vertical distribution of biomass, chemical composition and pepsin-cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

VFA production

Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

Vicia sativa

Lupinus luteus, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1

5-Vinyl-1,3-oxazolidine-2-thione

Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 3. Antinutritional factors in plasma and organs, 85 (2000) 111

Viscosity

The effects of sepiolite in broiler chicken diets of high, medium and low viscosity. Productive performance and nutritive value, 85 (2000) 183

Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1

Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175

Vitamin

Carotene content of *Azolla* and its variations during drying and storage treatments, 84 (2000) 295

Vitamin E

Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Volatile fatty acids

Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215

Voluntary intake

Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265

Water holding capacity

Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Weanling piglet

Bioavailability of iron from amino acid complex in weanling pigs, 86 (2000) 39

Welfare

The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129

Wheat

Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1

Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1

Wheat bran

Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on

grainless diets containing different nitrogen sources, 83 (2000) 195

Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239

Wheat middlings

Storage of pelleted wheat middlings in farm bins, 88 (2000) 47

Wheat straw

Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253

Whole seed

Nutritional evaluation of cardoon (*Cynara cardunculus*) seed for ruminants, 87 (2000) 203

Wilting

Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213

Xylanase

Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279

Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

Effects of fungal enzyme preparations on hydrolysis and subsequent degradation of alfalfa hay fiber by mixed rumen microorganisms in vitro, 88 (2000) 153

Yeast culture

Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49

Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165

The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121